

2x6 STUDS @ 16" OC AT ALL EXTERIOR WALLS UNLESS OTHERWISE NOTED

1 POINT LOAD FROM ABOVE PROVIDE THE FOLLOWING: 1) RACKED BLOCCING BETWEEN BEARING WALLS AND FINISHED SUBFLOOR 2) A MINIMUM OF THREE STUDS IN A BEARING WALL OR BEAM JOIST

WINDOW SCHEDULE

PROVIDE THE FOLLOWING: 1) RACKED BLOCCING BETWEEN BEARING WALLS AND FINISHED SUBFLOOR 2) A MINIMUM OF THREE STUDS IN A BEARING WALL OR BEAM JOIST

NO.	TYPE	FINISH	GLASS	OPERATION	SCREEN	SHUTTERS	REMARKS
1	6'0" x 4'0"	WOOD	1/2" GLASS	SLIDING	NO	NO	CLIMATE ZONE 3A
2	6'0" x 4'0"	WOOD	1/2" GLASS	SLIDING	NO	NO	CLIMATE ZONE 3A
3	6'0" x 4'0"	WOOD	1/2" GLASS	SLIDING	NO	NO	CLIMATE ZONE 3A
4	6'0" x 4'0"	WOOD	1/2" GLASS	SLIDING	NO	NO	CLIMATE ZONE 3A
5	6'0" x 4'0"	WOOD	1/2" GLASS	SLIDING	NO	NO	CLIMATE ZONE 3A


DOOR SCHEDULE

PROVIDE THE FOLLOWING: 1) RACKED BLOCCING BETWEEN BEARING WALLS AND FINISHED SUBFLOOR 2) A MINIMUM OF THREE STUDS IN A BEARING WALL OR BEAM JOIST

NO.	TYPE	FINISH	OPERATION	REMARKS
1	6'0" x 4'0"	WOOD	SLIDING	CLIMATE ZONE 3A
2	6'0" x 4'0"	WOOD	SLIDING	CLIMATE ZONE 3A
3	6'0" x 4'0"	WOOD	SLIDING	CLIMATE ZONE 3A
4	6'0" x 4'0"	WOOD	SLIDING	CLIMATE ZONE 3A
5	6'0" x 4'0"	WOOD	SLIDING	CLIMATE ZONE 3A

DESIGN PRESSURE

WIND SPEED: 100 MPH
 PRESSURE COEFFICIENT: 0.2
 PRESSURE LOAD: 2.1



THESE DRAWINGS ARE IN ACCORDANCE WITH THE FOLLOWING DESIGN CRITERIA:

1. IBC/AC 301
2. WIND DESIGN: 100 MPH
3. LOAD DESIGN: 40 PSF LIVING AREA LOADS, 30 PSF SLEEPING AREA LOADS, 30 PSF DEAD LOADS, 30 PSF ATTIC LOADS, 60 PSF EXTERIOR DECK LOADS, 50 PSF INCH LOADS
4. FROST DEPTH: PERMIT 3'-0" DEEP
5. CLIMATE ZONE: 3A
6. CONSTRUCTION TYPE: SB
7. OCCUPANCY TYPE: R3
8. BUILDING HEIGHT: PERMIT 35'-0" MEASURED FROM TOP OF FOUNDATION TO RIDGE
9. ALL WALLS IN EXTERIOR WALLS ARE BASED ON THE PROVISIONS AS PER THE PRESCRIPTIVE METHOD OF TABLE 602.3 OF THE ENERGY CONSERVATION CODES

26 X 45 RAISED RANCH
 PREPARED FOR:
 JAMES COLUCCI
 42 CONANT ST.
 GLOUCESTER, RI

DLR DIMENSIONAL DESIGNERS, INC.
 RESIDENTIAL DESIGNERS
 63 GREENBUSH AVENUE
 SUITE 200
 WARREN, RHODE ISLAND 02886
 PHONE: (401) 746-1888
 EMAIL: DLDD@DIMENSIONALDESIGNERS.COM

26 X 45 RAISED RANCH
 JAMES COLUCCI
 42 CONANT ST.
 GLOUCESTER, RI 02886
 PHONE: (401) 746-1888
 EMAIL: DLDD@DIMENSIONALDESIGNERS.COM

SCALE NOTED
 DATE
 Approved July 28, 2011
 APPROVED
 DRR
 DRAWN BY
 DRR
 DRAWING NUMBER
 5063